

SHEET-FED  
PMS & SPECIAL MATCH COLORS  
(containing Warm Red)

HEALTH 1  
FLAMMABILITY 1  
REACTIVITY 0

MATERIAL SAFETY DATA SHEET  
112

===== SECTION I MANUFACTURER INFORMATION =====  
ATLASINK AND SUPPLY, LLC  
9840 MONROE DRIVE, SUITE 101  
DALLAS, TX 75220  
EMERGENCY TEL 214-357-5100  
INFORMATION TEL 214-357-5100  
DATE PREPARED 09/18/2014

===== SECTION II PRODUCT COMPONENTS =====  
NOTE: THIS PRODUCT IS NOT DOT REGULATED  
NOTE: ALL COMPONENTS OF THIS PRODUCT ARE LISTED IN TSCA INVENTORY

===== SECTION IIA - HAZARDOUS INGREDIENTS =====  
CHEMICAL NAME: COBALT (TALLATE) CAS# 61789-52-4 OSHA PEL: .05mg/ m3  
COMMON NAME: DRIER ACGIH THRESHOLD: .05mg/ m3  
OTHER LIMITS: N/A % OF PRODUCT TOTAL: < 1%  
OTHER AGENCY: TSCA SECTION 313

CHEMICAL NAME: MANGANESE (TALLATE) OSHA PEL: .05mg/ m3  
COMMON NAME: DRIER CAS# 8030-70-4 ACGIH THRESHOLD: .05mg/ m3  
OTHER LIMITS: N/A % OF PRODUCT TOTAL: < 1%  
OTHER AGENCY: TSCA SECTION 313

CHEMICAL NAME: BARIUM COMPOUND OSHA PEL: NONE  
COMMON NAME: WARMRED CAS# 5160-02-1 ACGIH THRESHOLD: NONE  
OTHER LIMITS: N/A % OF PRODUCT TOTAL: < 2%  
OTHER AGENCY: TSCA SECTION 313

===== SECTION III - PHYSICAL DATA =====  
BOILING POINT: 538-599° F HEALTH: 1  
APPEARANCE: COLORED PASTE WITH SOLVENT ODOR FLAMMABILITY: 1  
% VOLATILE: < 20% REACTIVITY: 0  
SOLUBILITY: .0001  
SPECIFIC GRAVITY (H2O= 1): > 1  
VAPOR PRESSURE (mm Hg): < 0.1 MELTING POINT: N/A  
VAPOR DENSITY (AIR= 1): 702 EVAP RATE (BUTYL ACETATE= 1) < 2%

===== SECTION IV - FIRE & EXPLOSION DATA =====  
FLASH POINT: 264 LEL: N/A%  
FLAMMABILITY LIMIT: N/A UEL: N/A%  
METHOD USED: CLOSED CUP  
EXTINGUISHING MEDIA: MEDIA WATERFOR, Co2, DRY CHEMICAL  
SPECIAL FIREFIGHTING PROCEDURES: NORMAL FIRE FIGHTING PROCEDURES  
CONDITIONS TO AVOID: NONE

===== SECTION V - REACTIVITY DATA =====  
STABILITY: STABLE CONDITIONS TO AVOID: N/A  
INCOMPATIBILITY (Materials to Avoid): STRONG OXIDIZING AGENTS  
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: BURNING MAY YIELD CARBON MONOXIDE  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====  
ROUTE(S) OF ENTRY: INHALATION? YES SKIN? YES INGESTION? YES  
HEALTH HAZARDS (ACUTE AND CHRONIC): MAY CAUSE IRRITATION WITH PROLONGED EXPOSURE  
CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO  
SIGNS AND SYMPTOMS OF EXPOSURE:  
REDNESS AND / OR IRRITATION  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A  
EMERGENCY AND FIRST AID PROCEDURES:  
EYES-FLUSH WITH WATER, CONSULT PHYSICIAN/ INHALATION-REMOVE TO FRESH AIR/ WASH SKIN WITH SOAP AND WATER

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====  
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:  
SCOOP UP SPILLED MATERIAL AND DISCARD INTO PROPER WASTE CONTAINER  
WASTE DISPOSAL METHOD: DISPOSE OF ACCORDING TO FEDERAL/ STATE/ LOCAL LAWS  
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: AVOID EXTREME HEAT AND OPEN FLAMES  
OTHER PRECAUTIONS: N/A

===== SECTION VIII - CONTROL MEASURES =====  
RESPIRATORY PROTECTION (SPECIFY TYPE): NOT GENERALLY REQUIRED  
VENTILATION: LOCAL EXHAUST? YES MECHANICAL (GENERAL)  
SPECIAL: N/A  
OTHER: N/A  
EYE PROTECTION: DESIRABLE  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: OIL PROOF APRON/ GLOVES DESIRABLE  
WORK/ HYGENIC PRACTICES: REMOVE SOILED CLOTHING/ WASH HANDS BEFORE EATING